

DORMA HSW – Transparent versatility

HSW-G

System with
100mm top and
bottom rail



**HSW-G
(Framed)**

System with all-
round framed
solution




HSW-MID


System with
75mm top and
bottom rail




STANDARD PARKINGS




Type 1- Perpendicular parking



Type 2- Parallel parking



Type 3- Stacking beyond end panel



Type 4- 135deg parking

DORMA HSW – Transparent versatility

Technical limitations:

System	Max. panel width	Max. panel height	Max. panel weight	Glass thickness
HSW-G	1250	4000	150	10(12)
HSW-Framed	1250	4000	150	10(12)
HSW-G MID	1000	3000	70	10

Finishes:

Alumin. Natural Finish (101)
Alumin. Similar Satin Stainless Steel (107)

Ordering Code:

Horizontal sliding walls Fully glazed with glazing rails top and bottom
- HSW-G

- XHP 81 5103_xxx

Horizontal sliding walls Fully glazed with glazing rails top and bottom
with side Frames - HSW-G (Framed)

-XHP 81 5104_xxx


Horizontal sliding walls Fully glazed with glazing rails (75mm high) top
and Bottom- HSW-MID

- XHP 81 5105_xxx




(xxx – Finish code)

DORMA FSW – Transparent versatility
FSW-G

with door rails top and bottom, track roller position at the end of every second panel.


FSW-C

with door rails top and bottom, track roller position in the panel centre.


STANDARD PARKINGS


DORMA FSW – Transparent versatility
Technical limitations:

System	Max.Panel Height	Max.Panel Width	Max.Panel Weight	Glass thickness
FSW-G	3000	1000	70	10(12)
FSW-C	3000	1000	70	10(12)

Finishes:

Alumin. Natural Finish (101)
Alumin. Satin Stainless Steel (107)

Ordering Code:

FSW folding sliding walls as fully glazed partitions and frontages, with door rails top and bottom, track roller position at the end of every second panel – FSW-G

- XHP 81 5106_xxx

Folding sliding walls, fully glazed, with door rails top and bottom, track roller position in the panel centre – FSW-C

- XHP 81 5107_xxx

(xxx – Finish code)